


ABS BW-U



The fiber-reinforced concrete profile for shuttering balcony upstands, wall and ceiling end formwork as well as door and window recesses. The surface is smooth and the edges are chamfered on both sides. The profile ends are sawn at the factory and can be cut to any length using a diamond saw blade. Profile type A is supplied without a sealing strip.

ABS BW-U

Article description	Title of variant	Length m	B mm	C mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Packaging piece/pallet	Packaging metre/pallet	Weight kg/set	Weight kg/metre	Packaging piece/gibo
12668000	ABS 140 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	108	108	291,600	5,900	5,900	291,600
12668100	ABS 140 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	108	108	291,600	5,900	5,900	291,600
12668200	ABS 140 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	108	108	291,600	5,900	5,900	291,600
12669000	ABS 160 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	108	108	291,600	6,900	6,900	291,600
12669100	ABS 160 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	108	108	291,600	6,900	6,900	291,600
12669200	ABS 160 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	108	108	291,600	6,900	6,900	291,600
12670000	ABS 180 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	81	81	218,700	7	7	218,700
12670100	ABS 180 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	81	81	218,700	7	7	218,700

ABS BW-U

Article description	Title of variant	Length m	B mm	C mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Packaging piece/pallet	Packaging metre/pallet	Weight kg/set	Weight kg/metre	Packaging piece/gibo
12670200	ABS 180 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	81	81	218,700	7	7	218,700
12671000	ABS 200 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	81	81	218,700	8,100	8,100	218,700
12671200	ABS 200 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	81	81	218,700	8,100	8,100	218,700
12671300	ABS 200 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	81	81	218,700	8,100	8,100	218,700
12671100	ABS 220 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	81	81	218,700	9,200	9,200	218,700
12671400	ABS 220 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	81	81	218,700	9,200	9,200	218,700
12671500	ABS 220 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	81	81	218,700	9,200	9,200	218,700
12672000	ABS 240 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	81	81	218,700	10,150	10,150	218,700

ABS BW-U

Article description	Title of variant	Length m	B mm	C mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Packaging piece/pallet	Packaging metre/pallet	Weight kg/set	Weight kg/metre	Packaging piece/gibo
12672100	ABS 240 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	81	81	218,700	10,150	10,150	218,700
12672200	ABS 240 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	81	81	218,700	10,150	10,150	218,700
12673000	ABS 250 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	81	81	218,700	10,500	10,500	218,700
12673100	ABS 250 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	81	81	218,700	10,500	10,500	218,700
12673200	ABS 250 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	81	81	218,700	10,500	10,500	218,700
12706400	ABS 260 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	54	54	145,800	11,500	11,500	145,800
12706300	ABS 260 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	54	54	145,800	11,500	11,500	145,800
12673300	ABS 260 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	54	54	145,800	11,500	11,500	145,800

ABS BW-U

Article description	Title of variant	Length m	B mm	C mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Packaging piece/pallet	Packaging metre/pallet	Weight kg/set	Weight kg/metre	Packaging piece/gibo
12705000	ABS 300 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	54	54	145,800	12,450	12,450	145,800
12705100	ABS 300 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	54	54	145,800	12,450	12,450	145,800
12705200	ABS 300 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	54	54	145,800	12,450	12,450	145,800
12706000	ABS 350 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	54	54	145,800	13,650	13,650	145,800
12706100	ABS 350 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	54	54	145,800	13,650	13,650	145,800
12706200	ABS 350 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	54	54	145,800	13,650	13,650	145,800
12707000	ABS 365 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	54	54	145,800	14,150	14,150	145,800
12707100	ABS 365 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	54	54	145,800	14,150	14,150	145,800

ABS BW-U

Article description	Title of variant	Length m	B mm	C mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Packaging piece/pallet	Packaging metre/pallet	Weight kg/set	Weight kg/metre	Packaging piece/gibo
12707200	ABS 365 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	54	54	145,800	14,150	14,150	145,800
12708000	ABS 400 BW/U, type A, L = 270 cm without sealing strip	2,700	10	25	54	54	72,900	15,450	15,450	72,900
12708100	ABS 400 BW/U, type B, L = 270 cm with one sealing strip	2,700	10	25	54	54	72,900	15,450	15,450	72,900
12708200	ABS 400 BW/U, type C, L = 270 cm with two sealing strips	2,700	10	25	54	54	72,900	15,450	15,450	72,900