


## Capo Pyramide



The Kapo pyramid is mainly installed on standing reinforcement. Installation is possible on reinforcement  $\varnothing$  3-10 mm. To prevent twisting, the Kapo pyramid is mounted on a reinforcement crossing point. The spring steel clamp  $\varnothing$  2 mm clamps the Kapo optimally to the reinforcing steel. Quick installation is guaranteed. The pyramid shape ensures a punctiform contact surface and enables a very high-quality exposed concrete quality. The concrete can also be supplied in other colors on request.

## Capo Pyramide

Article description	Title of variant	Length mm	Concrete cover mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Weight kg/100 pieces	Packaging piece/gibo
22118000	Kapo 25/3-10 (trough for reinforcing steel Ø 3-10 mm)	30	25	500 pieces/bag	3,600	10.000
22118200	Kapo 25/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		25	600 pieces/bag	3,100	12.000
22119000	Kapo 30/3-10 (trough for reinforcing steel Ø 3-10 mm)	30	30	500 pieces/bag	4,200	10.000
22119200	Kapo 30/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		30	600 pieces/bag	3,600	12.000
22120000	Kapo 35/3-10 (trough for reinforcing steel Ø 3-10 mm)	30	35	500 pieces/bag	5,100	10.000
22120200	Kapo 35/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		35	600 pieces/bag	4,300	12.000
22121000	Kapo 40/3-10 (trough for reinforcing steel Ø 3-10 mm)	35	40	250 pieces/bag	6,800	5.000
22121200	Kapo 40/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		40	300 pieces/bag	5,800	6.000
22122000	Kapo 45/3-10 (trough for reinforcing steel Ø 3-10 mm)	35	45	250 pieces/bag	8,100	5.000
22122200	Kapo 45/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		45	300 pieces/bag	6,900	6.000
22123000	Kapo 50/3-10 (trough for reinforcing steel Ø 3-10 mm)	40	50	200 pieces/bag	10,500	4.000
22123200	Kapo 50/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		50	240 pieces/bag	8,900	4.800

## Capo Pyramide

Article description	Title of variant	Length mm	Concrete cover mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Weight kg/100 pieces	Packaging piece/gibo
22124000	Kapo 55/3-10 (trough for reinforcing steel Ø 3-10 mm)	40	55	175 pieces/bag	12,200	3.500
22124200	Kapo 55/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		55	200 pieces/bag	10,400	4.200
22125000	Kapo 60/3-10 (trough for reinforcing steel Ø 3-10 mm)	40	60	150 pieces/bag	14,400	3.000
22125200	Kapo 60/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		60	180 pieces/bag	12,200	3.600
22126000	Kapo 65/3-10 (trough for reinforcing steel Ø 3-10 mm)	50	65	125 pieces/bag	17	2.500
22126200	Kapo 65/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		65	150 pieces/bag	14,500	3.000
22127000	Kapo 70/3-10 (trough for reinforcing steel Ø 3-10 mm)	50	70	100 pieces/bag	19,700	2.000
22127200	Kapo 70/3-10 pyramid (trough for reinforcing steel Ø 3-10 mm)		70	120 pieces/bag	16,700	2.400