


## Dreika K2 N S ACID RESISTANT with two clamps, studs and bevel cut



Dreika K2 N S acid-resistant is mainly used for standing reinforcement in precast concrete pipe plants. The concrete is chemically resistant. N stands for the dimpled contact surface. The dimpled surface means that the spacer is not in full contact with the formwork and is only slightly visible on the concrete surface after concreting. S stands for diagonal cut. Two parallel diagonal cuts are made at the factory. This prevents the formwork from settling and catching. The formwork slides over the slope along the triangular section. The length of the Dreika is designed for a rebar spacing of up to max. 15 cm. Two steel clamps  $\varnothing 1.5$  mm are fitted at the factory. The Dreika can be mounted on reinforcing steel  $\varnothing 6-14$  mm. The clamps ensure very quick installation. Thanks to its fastening and elongated shape, the Dreika is tilt-proof and stable.

## Dreika K2 N S ACID RESISTANT with two clamps, studs and bevel cut

Article description	Title of variant	Concrete cover mm	L mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Weight kg/100 pieces	Packaging piece/gibo
22210910	Dreika 20/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	20	180	180 pieces/bag	11	8.000
22211910	Dreika 25/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	25	180	175 pieces/bag	13	7.500
22212910	Dreika 30/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	30	180	150 pieces/bag	18	5.000
22213910	Dreika 35/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	35	180	125 pieces/bag	23	4.000
22214910	Dreika 40/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	40	180	100 pieces/bag	24	3.500
22215910	Dreika 45/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	45	180	75 pieces/bag	27	2.500
22216910	Dreika 50/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	50	180	70 pieces/bag	30	2.000
22217910	Dreika 55/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	55	180	65 pieces/bag	33	1.500
22218910	Dreika 60/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	60	180	60 pieces/bag	37	1.250
22219910	Dreika 70/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	70	180	55 pieces/bag	40	1.100

**Dreika K2 N S ACID RESISTANT with two clamps, studs and bevel cut**

<b>Article description</b>	<b>Title of variant</b>	<b>Concrete cover mm</b>	<b>L mm</b>	<b>Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can</b>	<b>Weight kg/100 pieces</b>	<b>Packaging piece/gibo</b>
22231910	Dreika 80/18 K2 N S ACID RESISTANT with two clamps for Ø6-14 mm, knobs and bevel cut	80	180	50 pieces/bag	44	1.000