


## Dreika K1 NS with knobs and one staple, bevel cut



The Dreika K1 N S is used with upright reinforcement. N stands for the dimpled contact surface. The dimpled surface means that the spacer is not in full contact with the formwork and is only slightly visible on the concrete surface after concreting. S stands for diagonal cut. Two parallel diagonal cuts are made at the factory. This prevents the formwork from settling and catching. The formwork slides over the slope along the triangular section. The length of the Dreika is designed for a rebar spacing of up to max. 15 cm. A steel clamp  $\varnothing 2$  mm is fitted at the factory. The Dreika can be mounted on reinforcing steel  $\varnothing 6-14$  mm. The clamp ensures very quick installation. Thanks to its fastening and elongated shape, the Dreika is tilt-proof and stable.

## Dreika K1 NS with knobs and one staple, bevel cut

Article description	Title of variant	Concrete cover mm	L mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Weight kg/100 pieces	Packaging piece/gibo
22210400	Dreika 20/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	20	180	180 pieces/bag	11	8.000
22219700	Dreika 20/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	20	300	150 pieces/bag	19	6.000
22211400	Dreika 25/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	25	180	175 pieces/bag	13	7.500
22220400	Dreika 25/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	25	300	150 pieces/bag	21,700	5.000
22221400	Dreika 30/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	30	300	100 pieces/bag	30	3.500
22212400	Dreika 30/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	30	180	150 pieces/bag	18	5.000
22222400	Dreika 35/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	35	300	100 pieces/bag	38,300	3.000
22213400	Dreika 35/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	35	180	125 pieces/bag	23	4.000
22214400	Dreika 40/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	40	180	100 pieces/bag	24	3.500
22223400	Dreika 40/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	40	300	75 pieces/bag	40	2.000
22224400	Dreika 45/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	45	300	60 pieces/bag	45	1.700
22215400	Dreika 45/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	45	180	75 pieces/bag	27	2.500
22216400	Dreika 50/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	50	180	70 pieces/bag	30	2.000

## Dreika K1 NS with knobs and one staple, bevel cut

Article description	Title of variant	Concrete cover mm	L mm	Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can	Weight kg/100 pieces	Packaging piece/gibo
22225400	Dreika 50/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	50	300	60 pieces/bag	50	1.350
22217400	Dreika 55/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	55	180	65 pieces/bag	33	1.500
22226400	Dreika 55/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	55	300	55 pieces/bag	55	1.000
22218400	Dreika 60/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	60	180	60 pieces/bag	37	1.250
22227400	Dreika 60/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	60	300	50 pieces/bag	61,700	850
22219400	Dreika 70/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	70	180	55 pieces/bag	40	1.100
22228400	Dreika 70/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	70	300	45 pieces/bag	66,700	660
22231400	Dreika 80/18 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	80	180	50 pieces/bag	44	1.000
22229400	Dreika 80/30 K1 NS with knobs and a clamp for Ø6-14 mm, bevel cut	80	300	40 pieces/bag	73,300	600